



DEPARTMENT OF THE NAVY

NAVAL STATION NEWPORT
690 PEARY STREET
NEWPORT, RI 02841-1522

IN REPLY REFER TO:

NAVSTANPTINST 5090.17A

PRNPA
OCT 06 2010

NAVAL STATION (NAVSTA) NEWPORT INSTRUCTION 5090.17A

From: Commanding Officer, Naval Station Newport

Subj: STORM WATER POLLUTION PREVENTION PLAN (SWPPP)

Ref: (a) OPNAVINST 5090.1C
(b) Storm Water Pollution Prevention Plan

1. Purpose. To establish a SWPPP as directed by references (a) and (b).

2. Cancellation. NAVSTANPT/LOCAL AREA RI COORDINST 5090.17.


3. Applicability. This instruction is applicable to all military, civilian personnel and contractors assigned to or working at NAVSTA Newport and Fort Adams.

4. Policy. It is the policy of this command to limit storm water discharges to allowable activities. Allowable discharges include the following: water used for firefighting; fire hydrant flushing; external building wash down that does not use detergents; lawn watering; uncontaminated ground water; springs; air conditioning condensate; potable waterline flushing; irrigation drainage and foundation or footing drains (where flows are not contaminated with process materials, such as solvents, or contaminated by contact with soils where spills or leaks of toxic or hazardous materials have occurred).

5. Action. All activities and contractors onboard this installation shall:

a. Implement and use reference (b) to manage facilities and operations. Reference (b) is available from the Environmental Division of Public Works.

b. Obtain a permit from the Environmental Division of Public Works for nonallowable storm water discharges.


J. P. VOBORIL