

Navy Band Southwest

Sponsor Requirements

Information for Sponsoring Organizations

As a sponsor for Navy Band Southwest, we ask that you take care of certain functions in anticipation of the band's arrival and to serve as the liaison with the local organizations hosting band performances. This information is intended to make your job easier and give you a better understanding of the band's requirements. Please contact our Operations Coordinator if you have any questions or need assistance.

Performance Area

Please provide the following at the engagement site:

- Performance areas should be clean, dry, flat, and well lighted. Whenever possible, as stage surface or platform should be provided. Outdoor performance areas should be covered to provide protection from sun and rain.
- The sponsor or his/her representative should be available on site before and throughout the engagement, including set-up and pack-up.
- Easy access to water before and after the performance.
- Lockable changing areas for male and female members with easy access to restroom facilities.
- Security for the equipment in the performance area throughout the engagement.

Brass Band Logistical Requirements:

- Two dedicated 110-volt, properly grounded 20-amp circuits. These must be on a public power source and should be no more than fifty feet from the stage. If an electrical power cord run must be made by the sponsor, it should be with 8 or 10 gauge, 3-conductor, insulated cable. These circuits must not contain a "ground fault circuit interrupt" (GFCI) system
- Parking for one 15 passenger van and one 30' truck
- If a generator is required, it should have similar specs to the Honda EU3000iS <https://powerequipment.honda.com/generators/models/eu3000is>
- 20' deep by 30' wide staging area
- Access to the stage 1 ½ hours prior to concert time

