

横須賀基地空席広報

VACANCY ANNOUNCEMENT

広報番号 :
Announcement
No.

SRFJPMC-022-17

募集締切日:
Closing Date

4 Jan 17

発行日:
Date of Issue

8 Dec 16

1.職名, 職番, 給与表 Job title, Job No., & Basic Wage Table (BWT):

Supervisory Engineering Technician (Electronics), #384 (監督エンジニアリング専門職 (電子))

目標等級/語学能力級 Target Grade & Language Proficiency Level (LPL):
等級 Grade-7, 語学能力級 LPL-3

採用可能見習い等級/語学能力級 Acceptable Trainee level:

等級 Grade-6, 語学能力級 LPL-3

等級 Grade-5, 語学能力級 LPL-2

募集人数
No. of
Recruitment

1名

4.募集範囲 Area of Consideration

- I. 現 MLC/IHA 従業員 (部隊内)
Current MLC/IHA Employee within Activity
II. 現 MLC/IHA 従業員(通勤圏内)
Current MLC/IHA Employee in commuting distance
III. 現 MLC/IHA 従業員(全在日米軍)
Current MLC/IHA Employee Japan Wide
IV. 外部 Off Base Applicant

事務系(BWT -1) 技能系(BWT-2) 保安系(BWT-3) 医療系(BWT-5,6)
Administrative Blue Collar Trade Security Medical

2.部隊 Activity

U. S. Naval Ship Repair Facility & Japan Regional Maintenance Center,
Yokosuka (SRF-JPMC), Production Department (C900),
Fleet Calibration Activity Program Office (C970), Calibration Shop (X52),
Electronics Calibration Section (X52.1)

勤務場所 Working Place: 横須賀市 泊町 Tomari-cho, Yokosuka

5.雇用の種類 Type of Employment

- MLC IHA HPT
 常用 Permanent
 限定 Limited Term (__ヵ月 Months)

3.勤務時間 Work Schedule (週 40 時間制 hrww)

勤務日 Work Days: : Monday thru Friday 月曜日 - 金曜日

勤務時間・休憩 Work Hours/Recess Period: 08:00 - 16:45/12:00 - 12:45

夜勤 Night Shift 残業 Overtime 出張 Business Travel

6.職務内容 Duties

See attached sheet

7. 資格要件／身体条件 Qualification/Physical Requirements

* Must possess English language ability meeting the Language Proficiency Level (LPL) indicated in column #1.

#1 項に示された語学能力級レベルに相当する英語の語学能力が必要となります。

- a. One year of specialized technical or administrative work experience equivalent at 1-6 level in the related work. If applicant does not have such specialized experience, possession of doctorate degree in a related field may qualify him/her at 1-7 level.
- b. Knowledge of engineering principles, techniques, methods, and precedents gained through technical experience in the electronics and measurement field.
- c. Knowledge of the Navy's metrology program.
- d. Knowledge of electronic test equipment and Shipboard Instrumentation System Calibration (SISCAL) Program.
- e. Skills in calibrating and repairing general and special type of equipment.
- f. Skill in communicating effectively with other groups and offices to coordinate work process and to accomplish work efficiently.
- g. Ability to plan, schedule, control and coordinate shop's operations to complete assigned work in an effective and timely manner.
- h. Ability to supervise subordinate employees.

*An applicant who does not fully meet the qualification requirements stated above may be considered at a lower grade level as below.

1-6: a. One year of specialized technical or administrative work experience equivalent at 1-5 level in the related work. If applicant does not have such specialized work experience, possession of master's degree in a related field may qualify him/her at 1-6 level.

1-5: a. One year of clerical, technical, or administrative work experience equivalent at 1-4 level in a related work. If applicant does not have such work experience, completion of 4-year college/university in a related field may qualify him/her at 1-5 level.

* Handicapped applicants may be accepted, depending on the degree and kind of disability.

8. 提出するもの Application and Associated Documents

* 空席応募用紙 Application for Vacancy Announcement

* 専門職務経歴書 Resume of Specialized Work Experience

* の記入は Complete * in 日本語で Japanese 英語で English どちらでも Either

家族/親族が在日米海軍で勤務している方は、『親族に関する質問表』

If you have any family/relatives who work at U.S. Navy base/facility in Japan, "Questionnaire on Relatives"

上記書式は以下の URL よりダウンロードできます。 The above forms can be downloaded from;

http://www.cnrc.navy.mil/regions/cnrj/om/human_resources/MLC_IHA_HPT_Jobs/JN_Forms.html

運転免許証の写し Copy of Driver's License

修了証/証明書の写し Copy of Certificate

英語の能力を証明するものの写し。TOEIC, TOEFL, CASEC, 英検のみを有効な証明書として受け付けます。

(現/前基地従業員は ALCPT も可) その他の証明書、及び英語能力に関する自己申告は不可となります。英語を日常言語とする方も上記証明書の提出が必要です。

Certificate of English Proficiency. Only TOEIC, TOEFL, CASEC, and EIKEN certificates are accepted as English Proficiency Test (EPT) certificate. (ALCPT certificate is acceptable for current/former USFJ employees.) Other EPT certificates or self-statement on English proficiency will not be accepted. The same applies to those whose native language is English.

82 円切手を貼付し、応募者の郵便番号・住所・氏名を書いた返信用封筒 (12cm x 23.5cm)

12cm x 23.5cm Envelope with Applicant's Zip Code, Address, Name and a 82 yen stamp (MPS is unacceptable.)

日本国籍以外の方は、在留カード (両面) 及びパスポートのコピー For non-Japanese citizen applicant, copy of Residence Card (front & back) and Passport

DD-214 Copy (Member-4 copy) only for former U.S. military personnel.

9. 応募書類提出先 Office to Submit

内部応募者（現 MLC/IHA 従業員）と外部応募者（非従業員）では、応募書類提出先が違います。上記必要提出物をお間違えの無い様、郵送/提出して下さい。募集締切日必着。 Office to submit job application documents is different for Current MLC/IHA Employees versus Off Base Applicants. Please ensure to submit required application documents to the right office. Applications must be received by the closing date of the Vacancy Announcement.

（注意）上記項目 4 番の“募集範囲”が現 MLC/IHA 従業員のみの場合、外部応募者（非従業員）からの応募書類は無効となりますのでご注意ください。 When item #4, “Area of Consideration” above shows “Current MLC/IHA employees” only, Off Base Applicants will be rated ineligible.

1. 内部応募者（現 MLC/IHA 従業員）提出先（米海軍横須賀基地日本人雇用課 (HRO)) :

Current MLC/IHA Employees must submit to (Human Resources Office (HRO), Yokosuka Navy Base):

〒238-0001	〒238-0001
神奈川県横須賀市泊町 1 番地	1 Banchi Tomari-cho, Yokosuka
PSC 473 BOX 22 CNRJ HRO N132	PSC 473 BOX 22 CNRJ HRO N132
内線/Extension 243-8152	

米海軍横須賀基地正門左手前事務所 1 階、日本人空席広報掲示板の下の壁に内部応募者用の「空席応募提出箱」が設置してあります。毎日午前 0600 時より、午後 0600 時までこの箱への応募書類の提出が可能です。

Job Application Drop Box is available for submission of job application documents from 0600 to 1800 daily, which is installed to the wall immediately below the JN Vacancy Announcement Bulletin Board (1st fl.) in the office located on the left side of the main gate to the Yokosuka Navy Base.

2. 外部応募者（非従業員）提出先 :

〒238-0011
神奈川県横須賀市米が浜通 1-6 村瀬ビル 4 階
(独)駐留軍等労働者労務管理機構横須賀支部 (LMO/IAA)
管理第一係
電話番号 Phone 046-828-6959

Off Base Applicants must submit to:

〒238-0011
Murase-Bldg. 4F, 1-6 Yonegahama-dori, Yokosuka
Yokosuka Branch of LMO/IAA
Management #1 Section

受付時間：月曜—金曜、0830-1730 時（日本の祭日を除く）。雇用条件等のご質問はこちらにお問い合わせ下さい。 Operating Hours: Mon-Fri, 0830-1730 (Closed on Japanese Holidays) . Please contact LMO/IAA for questions on conditions of employment.

10. 事務処理欄 For Official Use

募集部隊担当 Activity POC : SRF-JRMC MLC Manpower Division (C1160) 軍電 (DSN) 243-4552

PD No.: SRFJRMC-X52.1-001

PD is accurate and current. Certified by Activity: ac

HRO: ms 12/6

応募要項を満たしていない場合、選考の対象になりません。Incomplete applications will not be considered.
提出された応募書類はお返ししません。 Submitted applications will not be returned.

職務で必要とされる語学能力級（LPL）レベルは下記をご覧ください。

Please see the below for the English Language Proficiency Level (LPL) required of the position:

LPL 語学能力級	<u>TOEIC</u>	<u>ALCPT</u>	<u>TOEFL (PBT)</u> Paper Based Test	<u>TOEFL (CBT)</u> Computer Based Test	<u>TOEFL (iBT)</u> Internet Based Test	<u>CASEC</u>	<u>EIKEN</u> 英検
4 – Exceptional Proficiency 特段の能力を要する	860 ~ 990	NA	600 ~	250 ~	100 ~	NA	1st
3 – Fluent proficiency 流ちょうな能力を要する	730 ~ 859	90 ~ 100	550 ~ 599	210 ~ 249	80 ~ 99	870 ~	Pre-1st
2 – Average proficiency 平均的能力を要する	550 ~ 729	75 ~ 89	460 ~ 549	140 ~ 209	50 ~ 79	560 ~ 869	2nd
1 – Elementary proficiency 初歩的な能力を要する	400 ~ 549	65 ~ 74	430 ~ 459	120 ~ 139	40 ~ 49	475 ~ 559	Pre-2nd
Pre-1 – Minimal proficiency (準1級) 最小限の能力を要する	350 ~ 399	40 ~ 64	NA	NA	NA	NA	3rd
0 – No language proficiency 語学能力を要さない							

PRIVACY ACT STATEMENT 個人情報保護について

AUTHORITY: Executive Order 10450, 9397; and Japan Law Concerning Protection of Personal Information (Law No. 57 of 2003).

法令: 米国行政命令 10450, 9397 ; 及び 日本法・個人情報の保護に関する法律（平成15年法律第五十七号）

PRINCIPAL PURPOSES: To record Personal Information for the purposes of executing the business operations of the U.S. Forces, Japan and protection of human life, safety and property, NOTE: Records will be securely maintained in either an electronic or paper form.

主目的: 人間の生命、安全、財産の保護と在日米軍の業務の遂行を目的として、個人情報を記録する為。

注記: 記録は電子書式、もしくは書面にて厳重に保管されます。

ROUTINE USES: To maintain Personal Data accurately with the most up-to-date content to the extent necessary to achieve the stated Principal Purposes.

利用目的: 主目的の達成に必要な、最新で正確な個人情報を維持する為。

DISCLOSURE: Disclosure of this information is voluntary; however, failure to provide the requested information may impede, delay or prevent further processing of administrative actions.

情報開示: 個人情報の開示は任意ですが、要求された情報を提供しなかった場合、その後の手続きの妨げ、遅れ、あるいは中断となる事があります。

TASK LIST Supervisory Engineering Technician (Electronics), #384-7

1. INTRODUCTION

The calibration laboratory provides assistance and support to Naval activities ashore and afloat, as well as to Government contractors and other Government activities, relative to the calibration and repair of electronic, physical and dimensional test equipment which are a part of the following measurement systems: Current/voltage/resistance; capacitance and inductance; dimensional; temperature and humidity; vacuum and pressure; acceleration and acoustics. These measurement systems are in direct support of such representative fleet weapon systems as Rader Air/Ground search, SAM, SPS, AUW, etc.

2. MAJOR DUTIES & RESPONSIBILITIES:

a. General: The incumbent serves as an electronic engineering technician at assigned activities and field locations, performing specific engineering tasks within the measurement field. As a specialist in this field, the incumbent must have superior knowledge and background in the utilization and application techniques of a wide variety of test standards which includes, but is not limited to, oscilloscopes, electronic counters, signal generators, signal phase impedance, meters, power supplies, analyzers, regulators, amplifiers, recorders, RF/Microwave, and frequency standards. The incumbent ensures that all of the measurement components of the sub-system are integrated and can perform properly so that over all measurement systems can perform at maximum efficiency. The incumbent is considered to be an expert on the precision measurement devices assigned.

b. Specific: In consonance with the above, the incumbent performs the following specific duties.

(1) Functions as section supervisor over sixteen (16) calibration technicians of BWT#1 grade 6 and BWT#2 grade 8 and 9. He is responsible to the division head for the following duties.

(2) Performs calibration and repair tasks on the more complex electronic test equipment and instructs new and less experienced employees in the use of the more exotic test equipment designed for use in the Navy's metrology program.

(3) Conducts equipment performance studies to determine whether revisions, alternations or modifications are required to improve equipment calibration capability, service ability and operational life. This is accomplished by analyzing schematic drawings, compatibility of subsystems and interface requirements, dynamic checks to determine proper acceptance of input and output values, and arriving at problem solutions within prescribed limits.

Evaluates data obtained and recommends action necessary to correct deficiencies. Recommendations are used as a basis for formal communication to other activities, at administrative levels and for preparation of equipment circuit changes.

(4) Provides technical services during functional checkouts of new measurement systems/equipment and specifies in-progress performance tests during installation, conversion or repair. Implements unique measurements test set-ups and procedures derived through the use of mathematical formulas and calculations.

(5) Develops and documents improved calibration procedures and submits for approval to cognizant supervisor.

(6) Verifies that all METBENCH Calibration Management System (MCMS) METBENCH Calibration Record (METCARD) are correctly completed by technicians. Insures appropriate Instrument Calibration Procedures (ICP's) or other calibration data is used for the calibration process.

(7) Acts as X52 Shop Head during his / her absence.

(8) Performs other related or incidental duties as assigned.