



**DEPARTMENT OF THE NAVY**

COMMANDING OFFICER  
NAVAL SUPPORT ACTIVITY, NORFOLK  
7918 BLANDY ROAD SUITE 100  
NORFOLK, VIRGINIA 23551-2419

NAVSUPPACTNORVAINST 5510.2B  
S13  
SEP 19 2006

NAVSUPPACT NORFOLK INSTRUCTION 5510.2B

Subj: PHYSICAL SECURITY PROCEDURES FOR OPERATIONAL CONTROL CENTER (OPCONCEN)/BUILDING NH-95

Ref: (a) OPNAVINST 5530.14C (Series)  
(b) SECNAVINST 5510.36 CH-2 (Series)  
(c) SECNAVINST 5510.30 CH-1 (Series)

Encl: (1) OPNAV 5521/27 (Rev. 1-75) (Visit Request)  
(2) Request letter for Building NH-95 Door #41  
(3) Quarterdeck Center Flag/VIP Door Placard  
(4) Quarterdeck Entrance Revolving Door Placard  
(5) Quarterdeck Exit Revolving Door Placard  
(6) Visitor Control Entrance Revolving Door Placard  
(7) Visitor Control Exit Revolving Door Placard  
(8) Diagram of Building NH-95 Security Doors

1. Purpose. To provide general physical security policies, guidance, and procedures to control access and egress for the Operational Control Center (OPCONCEN)/Building NH-95 per references (a) through (c).

2. Cancellation. NAVSUPPACTINST 5510.2A.

3. Policy. Operational Control Center (OPCONCEN)/Building NH-95, henceforth referred to as Building NH-95, is designated as a restricted area, which includes Level I, Level II, and Level III Restricted Areas as defined in reference (a). For the purpose of this instruction, Level I restricted areas will be identified as those spaces considered common space areas (i.e., passageways, restrooms, vending machine areas, etc.) which serve as "buffer zones" between Level II and Level III restricted areas, thus providing administrative control, safety, and protection against sabotage, disruption, or potentially threatening acts. Ingress and egress control procedures apply to all personnel who require access to the building and are held accountable by their parent command.

4. Security Constraints

a. Tenant Security Managers (SMs) and/or Special Security Officers (SSOs) must submit a completed Visit Request Form OPNAV 5521/27 (Rev. 1-75), (enclosure (1)), for personnel to gain access to Building NH-95. It is an entry-controlled building and uses a "LENEL" proximity badge system.

(1) Tenant SMs and/or SSOs are designated as Points of Contact (POCs) with signature authority and are responsible for submitting requests for access to Building NH-95, for those personnel assigned to, or visiting their organization. Permanent badges are printed in Building NH-95, Visitor Control Office for tenant commands who do not have the capability to print their own badges. Initial entry and accuracy of Permanent Badges are the responsibility of the respective SM/SSO, including the programming of badges for Access Levels. Access Levels determine the spaces that personnel can access with their badge. The Visitor Control Office will only take pictures and print badges. Temporary Badge Requests utilizing OPNAV 5521/27 (Rev. 1-75) Visit Request Form, enclosure (1), or a locally produced form shall be hand carried by the command POC or faxed to (757) 836-6344, Building NH-95, Visitor Control Center via the POCs. POCs shall ensure that the following information is included: social security number, full name, rank, start and end date for access (visit requests will not exceed one month). POCs shall ensure that sponsored personnel are familiar with the requirements of this instruction and shall notify the Visitor Control Office at (757) 836-5331/5333, with any questions or concerns.

(2) The "LENEL" proximity badge system is the primary method of identifying personnel who are authorized access to Building NH-95. Neither badges nor their associated color strip (Blue, Red, Green) authorize an individual to carry classified material into or out of the building. Authorization to carry classified material is covered in paragraph 5.c. of this instruction.

b. All personnel granted access shall wear their access badge displayed above the waist at all times with the picture and/or colored strip showing while in Building NH-95. All badges shall be secured upon exiting the building (put in a pocket, wallet, purse, etc.). Those Flag/General Officers

who are not required to wear an access badge while in the building are listed below:

(1) Commander, Fleet Forces Command; Commander, Joint Forces Command; and Commander, Supreme Allied Command Transformation

(2) Deputy Commander, Joint Forces Command

(3) Deputy Commander, Supreme Allied Command Transformation

(4) Chief of Staff, Supreme Allied Command Transformation

(5) Deputy Commander, Fleet Forces Command

(6) Commander, Submarine Force, U.S. Atlantic Fleet

(7) Commander, Naval Surface Force, U.S. Atlantic Fleet

(8) Commander, Naval Air Force, U.S. Atlantic Fleet

(9) Commander, Second Fleet

(10) Director of Operations, Fleet Forces Command (N3)

(J3) (11) Director of Operations, U.S. Joint Forces Command

(J2) (12) Director of Intelligence, U.S. Joint Forces Command

(13) Director of Intelligence, Fleet Forces Command (N2)

(14) Commander Patrol Reconnaissance Group/CTF-84

c. A "LENEL" access control reader prior to entering Building NH-95 shall validate all access badges. No person shall use his/her badge to admit an unbadged individual unless acting as an official escort for that individual (i.e., an individual with a pink "Escort Required" badge). Official escorts are those that have registered and checked out an "Escort Required" badge from the Quarterdeck or Visitor Control.

SEP 19 2006

d. During normal working hours, all visitors shall return their temporary access badges to the Visitor Control Office prior to leaving Building NH-95. After normal working hours, visitors shall return their temporary access badges to the main quarterdeck area prior to leaving Building NH-95.

e. The loss or mutilation of any type badge, and the transfer/detachment of access badge holding personnel, must be reported immediately, in person, to the Visitor Control Office, Room A109 in Building NH-95, as well as, to their respective SSO/SM. Requests for replacement badges must follow the same procedure as for a new badge with the exception of a ten day wait limit for a lost badge. A ten day wait limit commences upon reporting badge lost and annotation of loss entered into "LENEL" security program.

f. All transferring/detaching personnel shall return their access badges to the Visitor Control Office prior to departure. To ensure return of badges upon transfer, Command Check Out List should have a line for Visitor Control Check Out. SSO/SM must ensure personnel turn badges into Visitor Control for destruction upon check out.

g. Types of Badges

(1) Permanent Badges have a picture of the authorized person and a colored strip to indicate security clearance. They are issued to personnel permanently assigned to tenant activities, commands, or staff divisions who have the need to access any of the compound buildings using the "LENEL" Proximity Badge System. If one of these badges is lost or damaged the Visitor Control Office and the respective SM/SSO must be notified at once. Personnel with these badges may escort up to ten personnel who have been issued "Escort Required" badges within Building NH-95.

(2) Official Visitor Badge. Point of Contacts must submit enclosure (1) for individuals that they are sponsoring for temporary access to Building NH-95, or they must be entered into the respective SM/SSO as a "Visitor" with the appropriate clearance. The POC must maintain a source document certifying the clearance level indicated on the visit request form. The request must be signed by the designated POC with signature authority for the tenant activity, which is sponsoring the visit.

SEP 19 2006

These badges say "Official NH-95 Visitor" and have a blue or red strip to indicate security clearance. "Official Visitor" badges must be returned to Visitor Control or the Quarterdeck upon exiting the building. Official Visitor Badges can be picked up for another individual prior to their arrival only by authorization from the SSO/SM or by a designated POC. Authorization must be in writing.

(3) Very Important People (VIP) Badges. Flag Officers and Senior Executive Service (SES) personnel who have occasional requirements to enter Building NH-95, will be issued VIP badges upon presentation of a military ID card. These badges function like visitor badges but distinguish the bearers as Flag visitors to the facility. If the officer is not on the access list, someone from the command they are visiting will escort them to their destination. These badges are not to leave Building NH-95.

(4) Escort Required Visitor Badges. These badges are imprinted with "Visitor Escort Required", in bold letters and are pink in color. They are issued to personnel who are not listed in the "LENEL" Proximity Badge System as a Visitor and for whom Building NH-95, Visitor Control Office does not hold a visit request, enclosure (1). These personnel must be escorted at all times.

(5) Janitorial/Food Service Personnel Badges. Requests for these badges will be approved from the Commanding Officer, NAVSUPPACT Norfolk or by designated command authority. Janitorial/Food service personnel badges will have a green color strip indicating they do not have a Secret or above clearance. Badges are issued to these personnel so that they can provide related services throughout the common spaces. Access to restricted Level II and Level III areas require them to be escorted by the respective command. These personnel are considered to be trustworthy and are under continuous physical or electronic surveillance thus constituting a minimal level of risk.

#### h. Building Access Restrictions

(1) Access to individual spaces. Access to individual spaces within Building NH-95, is controlled by the activities having cognizance over the specific space. These spaces are normally designated Level II or Level III restricted areas.

SEP 19 2006

(2) The Back Dock will be the only place for the delivery and removal of equipment and supplies, trash removal, and burn runs. The Back Dock will not be the normal entrance and exit point for Building NH-95 personnel. The Back Dock, ladder wells, and passageways are not to be used for storage for trash or discarded equipment, etc. It is the responsibility of the cognizant command to dispose of their own equipment.

(3) Introduction of or removal of Personal Electronic Devices (PEDS) such as cameras, tape recorders, walkie-talkies, radios, television, cellular telephones, government and/or personal computer equipment hardware/software or other recording media and communicating devices in Building NH-95 will not be authorized without prior approval. Approval should be limited for official use only. "Equipment Card" or a "Cell Phone Card" shall be worn with permanent badge to verify permission to carry equipment in Building NH-95. Cards are to be locally produced by the respective command indicating, type of equipment, serial number, expiration date, name of person authorized to carry equipment and person granting authorization. Visitor Control does not issue or authorize equipment cards. Authorization must be granted by respective command SM/SSO or Information Assurance Office or Information Security Manager (ISM). The respective command is responsible for verifying validity of cell phone or equipment cards. One time or short-term introduction or removal of PEDS/cell phones requires approval via a command letter authorizing the removal/introduction of the specific item which must be submitted by the requesting command's SM/SSO or ISM to Building NH-95 Antiterrorism Officer (ATO), 24-hours prior to the removal of or introduction of the item. The length of time this authorization is valid for will be on a case-by-case basis, as agreed upon by the Anti-Terrorism Officer and Security Officer/Special Security Officer involved.

(4) Access to Building NH-95 by reserve unit personnel. Access requests for reserve units drilling in Building NH-95 are coordinated through the respective command sponsoring the unit. After-hours, holidays, and weekends, Building NH-95 quarterdeck will issue badges. All reserve personnel are subject to inspections as outlined in this instruction. It is the parent unit's responsibility to ensure that reserve personnel are familiar with these guidelines.

SEP 19 2006

5. Ingress/Egress Inspections. All hand-carried articles entering/leaving Building NH-95 are subject to inspection per the guidelines of reference (a).

a. All packages, briefcases, handbags, trash, etc., being carried into or out of Building NH-95 are subject to inspection in order to prevent:

(1) The unauthorized introduction of any type of recording device, (tape player, video recorder, film, audio tapes, video tapes, magnetic discs, etc.) cameras and/or weapons, explosive devices, ammunition, or other contraband (drugs, etc.).

(2) The loss of classified material, government equipment and/or property.

b. Procedures and documentation for random inspections. Security personnel shall inspect items on a random basis at every ingress/egress point.

c. Classified Material:

(1) Personnel carrying classified material into or out of Building NH-95 must possess authorization to escort or hand carry classified information, per reference (b), designating that individual by name, as a classified material courier.

(2) Individuals found entering or exiting Building NH-95 while carrying classified material, without proper authorization, shall be detained. The inspector shall contact the individual's Command Duty Officer or Building NH-95 POC to provide another individual with proper authorization to assume control of the classified material. The inspector shall initiate an incident/complaint report (OPNAV 5527/1) to document the security violation. Under no circumstances shall either individual be allowed to exit or return unescorted to Building NH-95 with the classified material. In the event of problems, the inspector shall contact the NAVSUPPACT Norfolk Antiterrorism Officer during normal working hours, or after normal hours, the NAVSUPPACT Norfolk Security Watch Commander.

d. Deliveries, government equipment and property. Personnel who are entering or leaving Building NH-95 with government equipment or property shall enter/exit by the back loading dock, door 27. Equipment and property must be accompanied by one of the following:

(1) Supply invoice;

(2) Job Order;

(3) Property pass (NAVSUP Form 155) for the equipment property or;

(4) A command letter authorizing the removal/introduction of the specific item which must be submitted by the requesting command's SM or SSO to Building NH-95 Physical Security Officer.

6. Trash Removal. Personnel removing trash via the rear loading dock shall observe proper security procedures.

a. Classified Material Destruction. Tenant commands shall ensure classified material is destroyed per references (a) through (c), and per other applicable instructions. Removal of classified material for the purpose of destruction at another facility shall be via the back dock entrance.

7. Conferences. To facilitate visitors for special conferences and meetings, the following procedures will be utilized. Visitor Control must be notified at least 72-hours prior to said conference/meeting of the personnel attending with appropriate clearance and location of conference/meeting. Visitor Badges or Escort Badges may be picked up prior to the conference/meeting by an authorized POC from the sponsoring command who will be responsible for distributing and collecting the appropriate badges. Conferences/ceremonies held in the auditorium requiring access for personnel without security clearances can be accomplished by using the NH-95 auditorium outer ingress point (Door #41). The procedure to schedule the NH-95 auditorium and/or request the use of auditorium (Door #41) is outlined in paragraph 8 and 9 of this instruction.

8. Building NH-95 Auditorium. The NH-95 auditorium is owned and controlled by the USJFCOM Protocol office. Contact the USJFCOM Protocol Office at (757) 836-5505 to schedule the use of the NH-95 auditorium. The NH-95 Visitor Control office does not schedule or reserve the NH-95 auditorium. Access to Building NH-95 will be in accordance with normal operating procedures as per this instruction.

9. Use of NH-95 Auditorium Door #41. The use of Door #41 requires a formal request letter from the sponsoring command and approval by the NAVSUPPACT Anti-Terrorism Officer (ATO). Commands desiring to use Door #41 to allow access for personnel without security clearances must follow the procedures outlined below.

a. Sponsoring command must first schedule the NH-95 auditorium through the USJFCOM Protocol office.

b. Request for the auditorium access, Door #41 must be by command letter or memorandum as in enclosure (2), and approved by the NAVSUPPACT ATO. The request to use Door #41 must be received by the ATO 72-hours prior to the event. The signed request letter should include an attachment identifying those personnel in attendance with Name, SSN and security clearance information if applicable. The signed letter with attachment should be faxed to the NAVSUPPACT ATO at (757) 836-1903.

c. Naval Support Activity security will coordinate the use of auditorium Door #41 with the NH-95 Visitor Control office through the NH-95 quarterdeck security watch.

10. Facility Ingress/Egress Points. Entry to and exit from Building NH-95 will be through the locations listed below.

a. Quarterdeck (Door #1). This door is manned 24-hours a day. Center door entrance is limited to flag rank officers, SES personnel, and VIPs with coded access and escorts. Personnel with a photo ID badge may enter and exit Building NH-95 through the turnstiles located to each side of the center access door. All personnel shall use these entrances during weekends, holidays, and when the Visitor Control Office is closed.

b. Visitor Control Office (Door #40). This is the primary access point for all visitors to Building NH-95. Hours of operation are 0700-1600 Monday through Friday (except holidays).

Personnel who do not possess a photo ID badge for the facility must enter at this location and check in with the Visitor Control Office for access verification and temporary badge issuance. Personnel with a photo ID badge may enter Building NH-95 through the turnstile located in the passageway outside the Visitor Control Office. This turnstile will also accept official visitor and VIP badges. This door is also a building exit during the hours of 0700-1600 Monday through Friday.

c. Admiral's walkway (second deck, Door #2-1). Only specifically designated personnel as requested by tenant POCs are authorized to enter or exit through this location.

d. Rear Dock. Access to the Rear Dock Door (Door #27) and Rear Dock Gate require individual to check out key(s) and door seal from the Quarterdeck. All equipment introduced into the building as well as trash and equipment removed shall be subject to inspection for classified material/and or government property. Security measures must be enforced by command/activity using the Back Dock and Gate. All trash bags will be clear plastic see-through type bags.

e. Other doors. Other external doors are for special access or emergency use only. Requests for access to other external doors or gates require individual to check out key(s) and door seal from the Quarterdeck. While using the exterior doors it will be the responsibility of that command/activity to ensure that positive security measures are enforced, by posting a watch while the door is open, and by not allowing access into the building by other personnel.

f. Elevators. There are four elevators in Building NH-95. If the elevator allows access to the outside of Building NH-95, the commands/activities will maintain positive control of the access point, not allowing personnel to access through the elevator door. Upon completion of use of the elevator, it will be properly secured and the key will be returned to the quarterdeck.

11. Facility Ingress/Egress Door Casualty Procedures. The following procedures will be followed in the event of a casualty to any of Building NH-95 security access doors listed below.

a. Quarterdeck Center Flag/VIP Access Security Door. In the event of a casualty to the operation of the Center Flag/VIP Access Security Door on the quarterdeck, placards will be placed on the Center Flag/VIP Access Security Door informing personnel of the casualty. Placard will be engraved plastic as identified in enclosure (3). Personnel authorized access to the Center Flag/VIP Access Security Door will use the revolving entrance door until repairs to the door are completed and the door is functioning properly. All personnel having access to the Center Flag/VIP Access Security Door have the ability to access Building NH-95 revolving doors via their issued security badges.

b. Quarterdeck Entrance Revolving Security Door. In the event of a casualty to the Quarterdeck Entrance Revolving Security Door, placards will be placed on the damaged door and on the quarterdeck (Door #1) informing personnel of the casualty. Placards will be engraved plastic as identified in enclosure (4). NH-95 Visitor Control will place a watch on the Center Flag/VIP Access Security Door during normal operating hours. The watch will sit outside the Center Flag/VIP Access Security Door and provide access to authorized personnel by swiping the Center Flag/VIP Access Security Door after the following occurs, visual verification of personnel swiping their issued badge, received a green light on the LENEL badge scanner. After a green light is viewed the Visitor Control personnel will then swipe their access card to access the Flag/VIP Door to allow only the authorized personnel to proceed through. Only one person at a time will proceed through the Center Flag/VIP access at a time. After visitor control normal operating hours the security watch on the quarterdeck will buzz authorized personnel through the Center Flag/VIP Access Security Door one person at a time after verifying authorized access using the "LENEL" security program.

c. Quarterdeck Exit Revolving Security Door. In the event of a casualty to the quarterdeck exit revolving security door, placards will be placed on the damaged door informing personnel of the casualty. Placards will be engraved plastic as identified in enclosure (5). Personnel will use the Center Flag/VIP Access Security Door to exit the building one person at a time. Personnel exiting Building NH-95 are not to allow access to the building in the process of leaving the building. Personnel entering Building NH-95 should use the procedures as outlined in this instruction. The Quarterdeck security watch

SEP 19 2006

should be aware of center door use and monitor for improper access of personnel as people exit using the Center Flag/VIP Access Security Door.

d. Visitor Control Entrance Revolving Security Door. In the event of a casualty to the Visitor Control Entrance Revolving Security Door, placards will be placed on the damaged door and visitor control (Door #40) informing personnel of the casualty. Placards will be engraved plastic as identified in enclosure (6). Visitor Control will station a watch in the quarterdeck security office to provide visitor badge services within the capability of the quarterdeck's "LENEL" security program. Visitor control will provide all other badge services from the Visitor Control Office. An escort will be provided from the Visitor Control Office for personnel requiring Visitor Control services not available on the quarterdeck.

e. Visitor Control Exit Revolving Security Door. In the event of a casualty to the Visitor Control Exit Revolving Security Door, placards will be placed on the damaged door informing personnel of the casualty. Placards will be engraved plastic as identified in enclosure (7). Personnel will use the Quarterdeck Exit Revolving Security Door to egress the building and turn in all visitor badges to the quarterdeck security watch (see enclosure 8).

12. Tenant Points of Contact. Each tenant activity shall designate a POC to coordinate command requests for badges, visitor requests, badge updates and to request badges for conferences/meetings, and any other security related matters. A designation letter updated as required but at least annually shall be forwarded to Building NH-95 Visitor Control Center containing name, rate/rank/grade, work phone, security clearance, official duty address, and signature sample for the POC. Points of Contact who are responsible for approving requests for special access letters or numbers on the picture badges for SCI must also provide a sample of their initials.



S. D. POELPETER

Distribution: (NAVSUPPACTINST 5216.1R)  
List I, II, III, IV, V, VI and VII  
PWC Norfolk

SEP 19 2006

<b>VISIT REQUEST</b>		<b>PRIVACY ACT STATEMENT ON REVERSE</b>	
VISITOR CLEARANCE DATA OPNAV 5521/27 (REV. 1-75) S/N 0107-LF-055-2235		<b>CHECK ONE</b>	
		<input type="checkbox"/> <b>REPLY REQUIRED</b>	
		<input type="checkbox"/> <b>REPLY ONLY IF NEGATIVE</b>	
<b>FROM</b> (COMPLETE ADDRESS OF REQUESTING ACTIVITY)		<b>DATE OF REQUEST</b>	
<b>TO</b> (COMPLETE ADDRESS OF REQUESTING ACTIVITY)		<b>SPECIFIC PERSONNEL OR SECTION OF COMMAND TO BE VISITED</b>	
FOLD ON THIS LINE			
DURATION OF VISIT (ARRIVE)	DEPART	DEGREE OF ACCESS REQUIRED	
PURPOSE OF VISIT/REMARKS (IF THE VISIT IS TO A CONTRACTOR FACILITY, INCLUDE CONTRACT NUMBER IF APPROPRIATE)			
<b>NAME, RANK, TITLE OR POSITION AND SOCIAL SECURITY NUMBER</b>	<b>DATE AND PLACE OF BIRTH</b>	<b>NATIONALITY</b>	<b>LEVEL OF SECURITY CLEARANCE</b>
		<input type="checkbox"/> US CITIZEN	
		<input type="checkbox"/> IMMIGRANT ALIEN	
		<input type="checkbox"/> US CITIZEN	
		<input type="checkbox"/> IMMIGRANT ALIEN	
		<input type="checkbox"/> US CITIZEN	
		<input type="checkbox"/> IMMIGRANT ALIEN	
		<input type="checkbox"/> US CITIZEN	
		<input type="checkbox"/> IMMIGRANT ALIEN	
		<input type="checkbox"/> US CITIZEN	
		<input type="checkbox"/> IMMIGRANT ALIEN	
<b>NAME, RANK AND TITLE OF OFFICIAL AUTHORIZING VISIT AND CLEARANCE</b>		<b>SIGNATURE</b>	
COPY TO			

Encl (1)

NAVSUPPACTNORVAINST 5510.2A

SEP 19 2006

From: (Person or Command requesting use of NH-95 auditorium outer access door)

To: NAVSUPPACTNORVA Security Office, Security Officer, Naval Support Activity (NSA) Norfolk

Subj: USE OF NH-95 AUDITORIUM OUTER ACCESS DOOR #41

Ref: (a) NAVSUPPACTNORVAINST 5510.2A Physical Security Procedures for Operational Control Center (OPCONCEN)/Building NH -95.

(b) COMNAVBASENORVAINST 5530.5 Security Measures - Terrorist Threat Conditions.

Encl: (1) List of Personnel Attending

1. As discussed in Reference (a) and in accordance with Reference (b), (NAME/ORGANIZATION REQUESTING USE OF NH-95 OUTER ACCESS DOOR) has reserved the use of NH-95 Auditorium on (DATE) from (START TIME) to (END TIME) through (NAME OF USJFCOM PROTOCOL OFFICE PERSON SPOKEN TO), USJFCOM Protocol Office.

2. A designated member of (NAME/ORGANIZATION REQUESTING USE OF NH-95 OUTER ACCESS DOOR) will check in and out with the NH-95 Quarterdeck for access to the auditorium and to open the auditorium side outer access door for participating personnel. (NAME/ORGANIZATION REQUESTING USE OF NH-95 OUTER ACCESS DOOR) staff with badge access to NH-95 will secure the auditorium side outer access during periods the auditorium is unoccupied and inform the NH-95 Quarterdeck watch, as well as at the conclusion of the scheduled events. Attendees who require use of restroom facilities will be escorted by (NAME/ORGANIZATION REQUESTING USE OF NH-95 OUTER ACCESS DOOR) staff that possesses NH-95 badge access.

3. The NH-95 Quarterdeck Watch and/or NH-95 Security will provide a pass down to the Visitor Control Office to ensure awareness that (NAME/ORGANIZATION REQUESTING USE OF NH-95 OUTER ACCESS DOOR) is authorized to use the auditorium. The access to the NH-95 auditorium will be through the auditorium side outer access door.

4. Please direct any questions or concerns to (POC FOR NAME/ORGANIZATION REQUESTING USE OF AUDITORIUM OUTER ACCESS DOOR) at (POC PHONE NUMBER).

(NAME)

Encl (2)

**CENTER FLAG/VIP DOOR  
IS TEMPORARILY  
OUT OF SERVICE.  
PLEASE USE THE "ENTRANCE"  
REVOLVING DOOR FOR ACCESS.  
VR,  
NH-95 SECURITY**

**“ENTRANCE”  
REVOLVING DOOR  
IS TEMPORARILY  
OUT OF SERVICE.  
PLEASE SHOW SECURITY  
BADGE TO WATCH FOR  
ACCESS.  
VR,  
NH-95 SECURITY**

SEP 19 2006

**“EXIT”**  
**REVOLVING DOOR**  
**IS TEMPORARILY**  
**OUT OF SERVICE.**  
**PLEASE USE**  
**CENTER FLAG/VIP DOOR**  
**FOR EGRESS.**  
**VR,**  
**NH-95 SECURITY**

Encl (5)

**“ENTRANCE”  
REVOLVING DOOR  
IS TEMPORARILY  
OUT OF SERVICE.  
PLEASE USE  
QUARTERDECK FOR  
ACCESS.  
VR,  
NH-95 SECURITY**


SEP 19 2006

**“EXIT”  
REVOLVING DOOR  
IS TEMPORARILY  
OUT OF SERVICE.  
PLEASE USE  
QUARTERDECK FOR  
EGRESS.  
VR,  
NH-95 SECURITY**

SEP 19 2006

# BUILDING NH-95 SECURITY DOORS

## Quarterdeck



## Visitor Control

